

[©]quotation generates quotations



The easy quotation tool

[©]quotation

camos Quotation accelerates the process of generating quotations, particularly for companies with complex, highly variable products and industrial systems. It provides quick access to a future oriented quotation generation.

The high performance quotation tool was developed based upon experiences from more than 150 international projects. Therefore it provides a wide range of functions even in its standard version.

camos Quotation is ideal for ...

- services

- special business conditions reflected in quotes
- alternatives and options
- Your vision is a quick
- and easy tendering? camos Quotation makes it real.

• mid-sized and large companies selling complex products, plants and

• companies with international and project oriented sales

This is what camos Quotation does

• product and component selection based on properties and

- characteristics
- quotation structure displayed at a glance
- different price lists can be used
- variable parameters in text modules
- manual quotation items
- price calculation based on price lists or manufacturing costs
- quotations printed in any language in freely designable layouts
- management of articles, texts and price lists

Selected functions

Quotation generation

With camos Quotation, the user selects products and components relevant for a price quotation from article catalogs and/or price lists; or a product variant is configured with the integrated camos Configurator (optional). The pricing is based on price lists and/or manufacturing cost calculations. All selected products and components are displayed in an explorer tree which is used simultaneously for navigation. Additional information – including pictures, videos, technical specifications – compliments the individual components. Dialogue language, language for results, currency, dates of validity (for calculations) as well as latest price lists can be easily adjusted. Beyond that, all Windows functions, such as Copy, Paste, Delete and Drag & Drop are available. A numbering of items is carried out automatically, depending on pre-defined, easily adjusted algorithms.

Manual quotation items

Freely variable quotation items, accompanying explanatory texts and cost calculations can also be added at any time, assuming the appropriate authorisation. For all price items, any number of options and alternatives can be added.

Sell complex products easily.

Price calculation based on price lists and/or manufacturing costs

The quotation is based on material catalogues and price lists. However, into these calculations any number of price lists can be defined, i. e. for various countries or differing uses. Articles and prices can be managed by camos Quotation or taken over by other systems such as ERP. In a calculation overview, features specific to the quote, such as discounts on individual items or groups of items, can also be displayed. Customer specific conditions are automatically taken into consideration and reflected. Manufacturing costs are used for the pricing – calculated on basis of an enhanced, multilevel overhead calculation. Authorised access to confidential information is protected by user access rights.

Quotations printed in any language

Setting the printout in any language and in varying currencies is just as easy as country specific printing formats. Any type of data, such as technical features, can be added into the texts. Country specific measuring units are automatically taken into consideration and reflected.

Management of master data

With a management tool, datas such as material catalogues, quotation texts, text modules and price lists can be simply and easily maintained.

Complex quotations simply generated

With its integration into the CRM system camos Sales Center, direct access to all customer information relevant to the quotation, as well as country specific and customer specific conditions are instantly provided. With camos Configurator, product specific rules and constraints are applied, and quotations are generated correctly.

International availability

camos Quotation offers the possibility to gereate the user interface and the printouts in any language – even in Asiatic and Eastern European languages. Translations are deposited simply and easily with the help of the translator tool camos Translate. Technical features can be recalculated and displayed to reflect country specific measuring units. Prices are re-calculated into any currencies. All information on products, prices, technical options and accessories are instantly available independent of national borders, anywhere in the world.

All this information is provided without delay via Internet by camos Quotation.

Technically correct quotations generated quickly.

0 11-0	A.9.7			- 	1.000.00					
A read	1	Tel 14 months	AND DESCRIPTION	To .	ACCESS OF A		100.001	ADDING T		
Carlosen.	11	T I COMPANY	1.8	8	1,011 11 70-011	101	101	1010		
8	14 117 119	A Designed Street	1.8	8	The Part of the Pa	100.1	100	10000		
Billion and all	Mar	N Longest	1.8	4	Concernent Concernent Concernent	141	1.794.804 0.000 1.794.001	Long and		
the fame:	12.13	1 Martin Laboration Marty-State			TRANSFER OF	123	101	Parallel Parallel		
-	10	I failed	1.0	8	1.01	101	1.000	1000		
3 minute	3	A Todaying A Padat todator A Tod	3		LINISHING	101	CHEMIN	Contraction of the local division of the loc		
	1948	No. 14 accesses	11	0	Manager Second	101	170.04	10.10.004		
		1 Income		8	10,000,000	101	17640-1 6,844 6,844	10000		
		R Lawrence	11	8	N. NO. OF	101	104	110.01		
		A Manha	1.8	8	1.5444	1011	174.04	BARRIEL .		
		R Laboration Designation Test per	1.8	븝	Annual Contract	101	101	1000		
Enter.		A Looks	1		101	101	101	101		
12		1	1							
A Providence										
C. California										
(they				-		_				
									_	
Summary of	f quote c	alculation								
including al	ternative	s.								extru
0										
					to the	the planet				
					100	the planet				Tuesday, 1708-00
					andar 1967 Marine	enninder (2) Alle Alle Anne 10 Million				Sanday (708.0
					100 100 100 100	enande (2) Rite Ran Di Cit Pie Ran 10 Rite Ran 10 Rite				
customisabl	le quotati	ion layout			100 100 100 100	enninder (2) Alle Alle Anne 10 Million	Hardwords and Gelges PS 138 Foll Technics	Engls, PP 1,200 a 19 0 2 - 23 rm, P		
		ion layout	Objects		100 100 100 100 100 100 100	enande (2) Rite Ran Di Cit Pie Ran 10 Rite Ran 10 Rite	Hardwords and Gelges PS 138 Foll Technics	6 agh, PP 1,200 A 9 0 2 - 23 ren, P Alti ren gross, he	9%. *11-11.mm	
anattapio 20m king ⊡ten Contant 20		ion layout	- Hagard		100 100 100 100 100 100 100	enante (2) Kan Kan Ka Kal Par Kan Tribleto In Position Ka Kas	Harisonia vali Gajur PS 13 Put Balance P Fail web: PS 1	6 agh, PP 1,200 A 9 0 2 - 23 ren, P Alti ren gross, he	97. 913 - 315 nm 1 weigh 197 1 (001 nm)	
Anna Star Anna Ora Canada Ma	te dia		- Hagan		3 3 3 3 3 3 3	nonsele (2) Rice marker on the two tradicities for Possilion nations	Hariportal soli Output PS 11 Part Robitson Fait web: PS 1 1.73-5709	8 agh, PP 1200 A 9 0 2 - 23 ran, P Althon pros, Tal 1400 mm,	97. 913 - 315 nm 1 weigh 197 1 (001 nm)	Guerray
Rog Oto Control 200 Control 200 Control 200 Xin	nation in face with sec in the se	Friend Friend	- Hagaint		Control of the second sec	nearth (2) Ran An 100 Per Tean 1000/00 Re Possilion an 1000 relate A	Harisonia vali Gajur PS 13 Put Balance P Fail web: PS 1	6 agh, PP 1,200 A 10 2 - 23 rm, P 400 rm pros, Ni 1400 rm,	97. 913 - 315 nm 1 weigh 197 1 (001 nm)	Guerray
Realinging State Real State Constant State Constant State State Annu Annu Yan		х 2	- Hageant		Control of the second sec	nearth (2) Ran An 100 Per Tean 1000/00 Re Possilion an 1000 relate A	Harlande od Organistical Part Battana Part and Part and 1.73-570V	6 agh, PP 1,200 A 10 2 - 23 rm, P 400 rm pros, Ni 1400 rm,	97. 913 - 315 nm 1 weigh 197 1 (001 nm)	Guerray
Annual Street Rome Chart Contrado Mito Street Rome Rich Street Rome Rome Street Rome Rome		х 2	_		Control of the second sec	nearth (2) Ran An 100 Per Tean 1000/00 Re Possilion an 1000 relate A	Harponal and Output Ph 13 Par Instrument 1.73-5709	1400 mm	91 113-32 mm 103-197 1381 mm 13 mm, 1300 kg/k	Guardity 406.687.53 (
Annual Street Rome Chart Contrado Mito Street Rome Rich Street Rome Rome Street Rome Rome		Россия Россия Т	11		Control of the second sec	executive (12) State State Vote (12) State Possible In	Harponal and Output Ph 13 Par Instrument 1.73-5709	1400 mm	yh, 113-31.00 1008:17138100 113000,1300 kg/k	Guerray
Annual Street Rome Chart Contrado Mito Street Rome Rich Street Rome Rome Street Rome Rome		й-сан И-сан И-сан	extrudo		Control of the second sec	nearth (2) Ran An 100 Per Tean 1000/00 Re Possilion an 1000 relate A	Harponal and Output Ph 13 Par Instrument 1.73-5709	1400 mm	91 113-32 mm 103-197 1381 mm 13 mm, 1300 kg/k	Guardity 406.687.53 (
		й-сан И-сан И-сан	11			nearth (1) fair fair an old fair fair food (1) nearth (Harponal and Output Ph 13 Par Instrument 1.73-5709	1400 mm	91 113-32 mm 103-197 1381 mm 13 mm, 1300 kg/k	Guestity 40447331
An Anna Anna Anna Anna Anna Anna Anna A		й-сан И-сан И-сан	extrudo			executive (12) State State Vote (12) State Possible In	Harponal and Output Ph 13 Par Instrument 1.73-5709	1400 mm	91 113-32 mm 103-197 1381 mm 13 mm, 1300 kg/k	Guestly 404.457.53 (
An and a second		й-сан И-сан И-сан	extrudo			nearth (1) fair fair an old fair fair food (1) nearth (Harponal and Output Ph 13 Par Instrument 1.73-5709	1400 mm	91 113-32 mm 103-197 1381 mm 13 mm, 1300 kg/k	Guestity 40447331
An and a second		Prom Prom T	extrudo			example (1) file face or of the face in the face of the Possilion and other and other	Harponal and Output Ph 13 Par Instrument 1.73-5709	1400 mm	91 113-32 mm 103-197 1381 mm 13 mm, 1300 kg/k	Guestly 404.457.53 (
An and a second		Prom Prom T	extrudo			example (1) file face or of the face in the face of the Possilion and other and other	Harponal and Output Ph 13 Par Instrument 1.73-5709	1400 mm	91 113-32 mm 103-197 1381 mm 13 mm, 1300 kg/k	Guestly 404.457.53 (
An and a second		Prom Prom T	extrudo			example (1) file face or of the face in the face of the Possilion and other and other	Harponal and Output Ph 13 Par Instrument 1.73-5709	1400 mm	91 113-32 mm 103-197 1381 mm 13 mm, 1300 kg/k	Guestly 404.457.53 (
An and a second		Prom Prom T	extrudo			example (1) file face or of the face in the face of the Possilion and other and other	Harponal and Output Ph 13 Par Instrument 1.73-5709	1400 mm	91 113-32 mm 103-197 1381 mm 13 mm, 1300 kg/k	Guestly 404.457.53 (

- - conditions
- rate design
- can be expanded to a full quotation configurator
- systems, etc.

camos Quotation offers productivity by usability.

illus il

And and a second second

Your benefits at a glance

- reduction of costs through efficient, easy generation of quotation
- consistent and correct data basis by integration into camos Sales Center
- accurate and updated prices reflecting country and customer specific
- high flexibility through adjustable price calculation and discounting
- internationally deployable through multilingualism
- easily viewed, uniform quotation layout in your company's own corpo-
- lower efforts for management of quotation texts and pricelists
- simply integrated into existing IT landscapes through interfaces to ERP

camos.

Please contact us, we are glad to inform you.

camos Software und Beratung GmbH Friedrichstrasse 14 70174 Stuttgart Germany www.camos.de

Phone +49 711/78066 - 0 Fax +49 711/78066 - 60 Mail info@camos.de